

where <seq> is the isoelectronic sequence symbol, <source> is the originator's initials, <year> a two digit year number and <el> the element symbol.

24 Oct. 1999 revision includes new /lilike/lilike_dcg99#c3ls.dat, /lilike/lilike_dcg99#o5ls.dat and /clike/clike_kma99#o2ic.dat datasets and an update to /helike/helike_kvi97#he0.dat.

4. Lang has prepared a detailed document on adf04 files for matching to SOHO/CDS specific needs as detailed by the 'Blue Book'. This is available in the *datastatus* section of ADAS documentation on the web.

Li-like	Be,C,N,O,Ne,Mg,Al,Si,S,Ar Ca,Ti,Fe,Ni	copsm#li	Sampson/Zhang(n=2,3,4,5)	j	medium
Be-like	C,N,O,Ne,Mg,Al,Si,S,Ar Ca,Ti,Fe,Ni	copsm#be	Sampson/Zhang(n=2)	j	medium
B-like	C,N,O,Ne,Mg,Al,Si,S,Ar Ca,Ti,Fe,Ni	copsm#b	Sampson/Zhang(n=2,3)	j	medium
C-like	N,O,Ne,Mg,Al,Si,S,Ar Ca,Ti,Fe,Ni	copsm#c	Sampson/Zhang(n=2,3)	j	medium
F-like	Ne,Mg,Al,Si,S,Ar Ca,Ti,Fe,Ni	copsm#f	Sampson/Zhang(n=2,3)	j	medium
Ne-like	Mg,Al,Si,S,Ar Ca,Ti,Fe,Ni	copsm#ne	Sampson/Zhang(n=3,4)	j	medium
Na-like	Mg,Al,Si,S,Ar Ca,Ti,Fe,Ni	copsm#na	Sampson/Zhang(n=3,4,5)	j	medium
Li-like	Be,C,N,O,Ne,Mg,Al,Si,S,Ar Ca,Ti,Fe,Ni	copss#li	Superst/dipole i.p.(n=2,3,4,5)	j	low
Be-like	C,N,O,Ne,Mg,Al,Si,S,Ar Ca,Ti,Fe,Ni	copss#be	Superst/dipole i.p.(n=2)	j	low
B-like	C,N,O,Ne,Mg,Al,Si,S,Ar Ca,Ti,Fe,Ni	copss#b	Superst/dipole i.p.(n=2,3)	j	low
C-like	N,O,Ne,Mg,Al,Si,S,Ar Ca,Ti,Fe,Ni	copss#c	Superst/dipole i.p.(n=2,3)	j	low
F-like	Ne,Mg,Al,Si,S,Ar Ca,Ti,Fe,Ni	copss#f	Superst/dipole i.p.(n=2,3)	j	low
Ne-like	Mg,Al,Si,S,Ar	copss#ne	Superst/dipole i.p.(n=3,4)	j	low

j-resolved data with spectroscopic quality energies. The latter data sets do not have the recombination contributions. The prefix 'n' indicates n-shell bundled data and is relevant only to the hydrogen-like stage. When a change of preferred data is made, the formerly preferred data is moved back into isoelectronic data collections with an advisory note as to when they were the preferred data.

24 Oct. 1999 revision includes new datasets in /adas#7 and /adas#8 from the GCR project and updates to /adas#2 and /adas#6.

2. *copss* filess contain dipole collision rate coefficients only. They are often used for supplementation of higher quality data sets which lack dipole allowed transitions between higher levels.
3. *copmm* files contain dipole and non-dipole non-spin change collision rate coefficients only. Exchange collisions are not present.
4. *copmm* & *copss* files are useful for initial survey and radiated power assessment in ADAS series 4 codes.
5. *copss* & *copmm* files are generally created with Eissner configuration notation for automatic initial set up of metastable resolved collisional radiative recombination/ionisation calculation with ADAS series 2 codes.

Data lines :

SYM , IZ , IZ0 , IZ1 , STRG1

until IND = -1

IND , CFG, IS , IL , C8, STRG2

-1 , STRG3

ZEFF , ITYP , STRG4

until INDU = -1 and INDL = -1

until INDU = -1

CCODE, INDU , INDL , STRG5

-1

-1 -1

C++ERROR specification start+++++

C

C TCLASS1

C

C IL-IU ERROR

C

Format:

1a3,i2,2i10,1a75

i5,1x,1a18,1x,i1,1x,i1,1a8,1a56

i5, 1a95

f5.1,i5,6x,1a112

1a1,1i3,i4,1a128

1a35

1a2,1a

1a2,1a,'-',1a, ' ',fm.n

C TCLASS2	1a2,1a
C	
C IL-IU ERROR	1a2,1a,‘-’,1a, ‘-’,fm.n
C	
C++ERROR specification end++++++	1a35

variable identification :

<i>name</i>	<i>meaning</i>	
SYM	element symbol in form ##+	
IZ	charge of the ion	
IZ0	nuclear charge	
IZ1	ion charge + 1	
STRG1	<i>fword1(cword1)fword2(cword2)...</i> where the <i>fword</i> are fixed point decimal numbers and <i>cword</i> are character strings	
	[<i>fword1</i> = BWNO =BWNOA(1)	ionisation potential (cm-1) fm.n
	<i>fwordi</i> = BWNOA(I)	ionisation potential (cm-1) of lowest level relative to the <i>i</i> th parent fm.n
	<i>cwordi</i> =MLTP,LP	(2S _p +1)L _p for <i>i</i> th parent in LS coupling 1i1,1a1
	<i>cwordi</i> =MLTP,LP,XJ	(2S _p +1)L _p J _p for <i>i</i> th parent in IC coupling 1i1,1a1,fm.n
	If <i>cword1</i> is missing, the parent ground state is assumed to be ¹ S. If further <i>fwords</i> are present they must be paired with <i>cwords</i> . In LS coupling the parent weight is (2S _p +1)(2L _p +1). In IC coupling the parent weight is (2J _p +1). The number of parents is denoted by NPRT.]	
IND	index of level	
CFG	configuration specification of level. The specification is at the user's choice. Adoption of Eissner or Standard configuration forms are required for automatic operation of advanced codes. [Eissner form for CFG is	
	<i>cword=cshell1cshell2cshell3.....</i> where <i>cshelli</i> =50+ <i>q,indi</i>	

q is the number of equivalent electrons in the i th shell and $indi$ is the shell index in the Eissner collating sequence: 1=1s, 2=2s, 3=2p, 4=3s,...,9=4d, 0=4f, A=5s,...,E=5g,..., Z=8j, a=9s,...

For the 1st shell, $50+q$ may be replaced by q without error.

Standard form for CFG is

$cword1\ cword2\ cword3\ \dots$ where $cwordi=nlq$

n is the principal quantum number collating sequence: 1=1, 2=2, 9=9, a=10,b=11,

l is the orbital angular momemnum quantum number character s,p,d,...

q is the equivalent electron collating sequence: 1=1, , 9=9, a=10,b=11.

Note that $cwordi$ is always of format 1a3.]

IS

multiplicity ($2*S+1$)

IL

total orbital angular momentum quantum number

C6

(XJ)

1a1,f3.1,1a1

or 1a1,f4.1,1a1

where $XJ = (\text{statistical weight of level} - 1)/2$ in LS coupling and $XJ=J$ in IC coupling

STRG2

$fword\{cword1\}fword1\{cword2\}fword2\...\text{where } fword, fwordi \text{ are fixed point}$

decimal numbers and $cwordi$ are characters

$fword = WNO$ excitation energy (cm⁻¹) relative to lowest level fm.n

[$cwordi=IPRT$ parent index with reference to list on first line

'X' if ionisation from this level is an excluded process 1a1

$fwordi = ZTA$ fractional parentage factor for ionisation to i th parent fm.n]

[STRG3

$fword1\ fword2\ fword3\...\text{where } fwordi \text{ are space separated fixed point decimal}$

numbers

$fwordi = ORB$ energy (Ryd) of i th orbital. fm.n

These are mandatory only for ADAS407 but if present must follow the Eissner collating sequence and commence with 1s.]

ZEFF	effective ion charge set equal to IZ1 for normal usage	
ITYP	=1 => electron collisional data given as omegas as a function of X parameter =2 => no longer in use =3 => electron collisional data given as Upsilon as a function of T _e (the usual form) =4 => reserved for non-Maxwellian rate coefficients	
STRG4	fword1 fword2 ... where the fword are floating point numbers omitting the 'e' or 'd'	14e8.2
	fwordi = XA(I) ith value of threshold parameter for ITYP=1	
	fwordi = TEA(I) ith value of electron temperature (K) for ITYP=3	
	Note that a maximum number of temperatures MAXT=14 is allowed with ITYP=3. 50 values of threshold parameter are allowed with ITYP=1.	
CCODE	transition data type code as follows: ‘ ‘ => unspecified electron impact excitation data ‘1‘ => dipole electron impact excitation data ‘2‘ => non-dipole, non-spin change electron impact excitation data ‘3‘ => spin change electron impact excitation data ‘p‘ or ‘P‘ => positive ion impact excitation data ‘r‘ or ‘R‘ => free electron recombination/capture data ‘h‘ or ‘H‘ => charge exchange recombination data from neutral hydrogen ‘i‘ or ‘I‘ => electron impact ionisation data from stage below ‘s‘ or ‘S‘ => electron impact ionisation data to stage above ‘l‘ or ‘L‘ => unresolved dielectronic satellite line emission data	
INDU	transition: upper energy level index (case ‘ ‘, ‘1’, ‘2’, ‘3’, & ‘P’) receiving level index (case ‘H’, ‘R’, ‘L’, ‘I’) ionising level index (case ‘S’)	
INDL	transition: lower energy level index (case ‘ ‘, ‘1’, ‘2’, ‘3’ & ‘P’)	

	recombining parent index (case ‘H’, ‘R’, ‘L’) – should be preceded by a ‘+’	
	ionised parent index (case ‘S’) – should be preceded by a ‘+’	
	ionising daughter index (case ‘I’) – should be preceded by a ‘-’	
STRG5	fworda fword1 ... fwordn fwordb where the fword are floating point numbers omitting the ‘e’ or ‘d’	16e8.2 (16e8.2)
	fworda = AVAL transition: Einstein A-value (sec-1) (case ‘’, ‘1’, ‘2’, ‘3’)	
	= EBEAM beam energy (ev/amu) (case ‘H’)	
	= WVLN unresolved satellite line wavelength (A) (case ‘L’)	
	= AAUG Auger rate (sec-1) for doubly excited states (case ‘R’)	
	otherwise blank	
	fwordi = OMGI Omega for ith energy (ITYP=1, case ‘’, ‘1’, ‘2’, ‘3’)	
	= GAMI Upsilon for ith temperature (ITYP=3, case ‘’, ‘1’, ‘2’, ‘3’ & ‘P’)	
	= RCHEXI charge exchange recombinaton rate coefft.(cm**3 sec-1) for the ith temperature (case ‘H’)	
	= RCOEFI free electron recombinaton rate coefft. (cm**3 sec-1) for the ith temperature (case ‘R’). Note that this combines radiative and dielectronic recombination <u>unless</u> doubly excited states are directly included in the file. In the latter case the DR resonance capture only is given for the doubly excited state (together with the Auger rate – AAUG above). The stablised singly excited state’s ‘R’ line must then only include radiative recombination to avoid double counting. ‘L’ lines provide any missing unresolved DR to the level in this case	
	= SIONI scaled ionisation rate coefft. $\exp(I_{\text{ion}}/kT_e) S$ (cm**3 sec-1) for ith temperature with I_{ion} , the level ionisation energy and S the ionisation	

rate coefficient (case 'S', 'I')
 [fwordb = BETL Bethe high energy limit value (ITYP=3, case ' ', '1', '2')
 otherwise not present.]

The error block is optional and is placed in the comment section at the end of the data set. It is signalled by the start and end line 'ERROR specification' lines.

[TCLASS	Transition class, 'ionisation', 'excitation', 'recombination'
IL	lower level of transition. '*' indicates <u>all</u> levels
IU	upper level of transition. '*' indicates all levels.
ERROR	percentage error (uncertainty) in transition data

Note that sets of transition may be specified as for example '1-*' or '*-*'. Error blocks are analysed by the code ADASA215.]

Items in square brackets are only used by advanced population codes. They are ignored by the simpler processing programs – see the ADAS manual program descriptions for details.

Table B4c – example of the basic file structure.

```

H+ 0      1      1      109679.
 1  1S      (2)0( 0.5)      0.
 2  2S      (2)0( 0.5)      82303.
 3  2P      (2)1( 2.5)      82303.

.
14  5F      (2)3( 6.5)      105348.
15  5G      (2)4( 8.5)      105348.

-1
1.00   3      5.80+03 1.16+04 3.48+04 5.80+04 1.16+05 1.74+05 2.32+05 2.90+05
 2  1 0.00+00 2.60-01 2.96-01 3.26-01 3.39-01 3.73-01 4.06-01 4.36-01 4.61-01
 3  1 6.27+08 4.29-01 5.29-01 8.53-01 1.15+00 1.81+00 2.35+00 2.81+00 3.20+00
 4  1 0.00+00 6.51-02 6.96-02 7.76-02 8.13-02 8.70-02 9.21-02 9.66-02 1.01-01
 5  1 1.67+08 1.12-01 1.26-01 1.86-01 2.43-01 3.54-01 4.38-01 5.07-01 5.66-01

.
12 10 0.00+00 3.48+01 4.05+01 3.97+01 3.70+01 3.32+01 3.11+01 2.98+01 2.89+01
13 10 5.05+04 7.51+01 1.03+02 1.32+02 1.32+02 1.26+02 1.22+02 1.22+02 1.22+02
14 10 0.00+00 1.67+02 2.71+02 5.28+02 6.50+02 7.64+02 8.01+02 8.15+02 8.21+02
15 10 4.26+06 3.87+02 7.33+02 1.76+03 2.46+03 3.64+03 4.48+03 5.14+03 5.69+03
-1
  
```



```

C
C   SCF method used           : HR
C
C   Scale factors for Slater Parameters : 75 96 75 75 0
C
C   Optically allowed transitions    : yes
C
C   Optically forbidden transitions M1 : both
C
C   Optically forbidden transitions E2 : both
C
C   Born Collision-Strength - print   : 9
C
C           - forbidden : 0 -> 2
C
C           - allowed   : 1 -> 1
C
C           - included  : 11,all
C
C   Parity 1      Parity 2      Allowed
C       102          104          161      initially
C       45            30           62       reduced
C
C-----
C   Comments from supplementary file
C-----
C
C   File generated by compression of a J-resolved file
C
C   Program: ADAS209
C
C   Source file: /export/home/adas/adas/adf04/coppm#li/coppm#li_pm#c3j.dat
C
C   Original level indexing:
C       1   2   3   4   5   6   7   8   9   10
C       11  12  13  14  15
C   Selection Vector:
C       1   2   2   3   4   4   5   5   6   7
C       7   8   8   9   9
C
C   Original parent metastables:
C       (1S)
C   Parent bundling vector:
C       0
C
C
C   Producer: horton
C   Date: 03/06/96
C
C-----
C   Modified to include triplet parent for ionisation
C
C   Costanza F. Maggi 04/06/96
C
C-----
C   Energy levels replaced by NIST values.
C

```

```

C                               22-10-97
C-----
C
@ RADIATIVE RECOMBINATION DATA ADDED          Martin O'Mullane
C
C PROCESSED BY ADAS211 ON :
C /home/mog/adas/adf08/rrc96#he/rrc96#he_c4ls.dat
C
C                                         Martin O'Mullane
C                                         22-10-97
C-----
C
C Dielectronic data is post-processed from Badnell files as follows:
C
C /u/adas/adas/adf09/mom96#he/mom96#he_c4ls12.dat
C /u/adas/adas/adf09/mom96#he/mom96#he_c4ls22.dat
C
C The cross-referencing file is as follows:
C
C /home/mog/adas/adf18/a09_a04/mom96#li/mom96#li_c3ls.dat
C
C The parent metastable indices are as follows:
C
C      1.    1S2           (1)0( 0.0)
C      2.    1S1 2S1       (3)0( 1.0)
C
C Dielectronic data added to 15 existing rad. recom. level sets
C
C                                         Martin O'Mullane
C                                         22-10-97
C-----
C Thermal charge exchange coefficient lines added for reactions:
C
C   DONOR      RECEIVER     FINAL STATE   SOURCE
C   -----      -----      -----      -----
C H + 0 (1)  C + 4 (1)  3s (2S)      /u/cfm/adas/adf24/scx#h0/scx#h0_cfm#c4.dat
C H + 0 (1)  C + 4 (1)  3p (2P)      /u/cfm/adas/adf24/scx#h0/scx#h0_cfm#c4.dat
C H + 0 (1)  C + 4 (1)  3d (2D)      /u/cfm/adas/adf24/scx#h0/scx#h0_cfm#c4.dat
C H + 0 (1)  C + 4 (1)  4s (2S)      /u/cfm/adas/adf24/scx#h0/scx#h0_cfm#c4.dat
C H + 0 (1)  C + 4 (1)  4p (2P)      /u/cfm/adas/adf24/scx#h0/scx#h0_cfm#c4.dat
C H + 0 (1)  C + 4 (1)  4d (2D)      /u/cfm/adas/adf24/scx#h0/scx#h0_cfm#c4.dat
C H + 0 (1)  C + 4 (1)  4f (2F)      /u/cfm/adas/adf24/scx#h0/scx#h0_cfm#c4.dat
C
C
C Processing code: ADAS509/ADAS505
C Producer:        C.F. Maggi
C Date:           16/12/97
C
C-----C
C Ionisation data added from /u/adas/adas/adf07/szd93#c/szd93#c_c.dat
C
C Producer : Martin O'Mullane
C Date     : 23/09/99
C
C-----
C-----C
C ADAS ADF04 DATA - SCCS info: @(#)mom97_ls#c3.dat  2.1 Date 01/09/01

```



```

C
C Source file: he0_excitation_ionisation_adf04_type1.xls
C
@ Notice The source file is adas/automatic linked assembly from component
C workbooks for excitation and ionisation as
C (1) he0_excitation_1s(1S)-nl().xls
C (2) he0_excitation_2s(3S)-nl().xls
C (3) he0_excitation_2s(1S)-nl().xls
C (4) he0_excitation_2p(1P)-nl().xls
C (5) he0_excitation_2p(3P)-nl().xls
C (6) he0_excitation_3s(1S)-nl().xls
C (7) he0_excitation_3s(3S)-nl().xls
C (8) he0_excitation_3p(1P)-nl().xls
C (9) he0_excitation_3p(3P)-nl().xls
C (10) he0_excitation_3d(1D)-nl().xls
C (11) he0_excitation_3d(3D)-nl().xls
C (12) he0_excitation_4s(1S)-nl().xls
C (13) he0_excitation_4s(3S)-nl().xls
C (14) he0_excitation_4p(3P)-nl().xls
C (15) he0_excitation_4d(1D)-nl().xls
C (16) he0_excitation_4d(3D)-nl().xls
C (17) he0_excitation_4f(1F)-nl().xls
C (18) he0_excitation_4f(3F)-nl().xls
C
C (19) he0_ionisation.xls
C
C There is no member for 4p(1P) - the highest lying explicit level.
C The workbooks contain historic comparative assessments of helium
C data and ADAS preferred data sets. The workbooks are available to
C identified data assessors for further study.
C (see ADAS User Manual version 2.6.
C
C Compiler: H. P. Summers, University of Strathclyde
C
C Date: 14 March 2002
C -----
C Error block
C -----
C
C The value in each error line corresponds to high energy. Precise meanings
C are in the ADAS_EXCEL workbooks.
C
C+++ERROR specification start+++++
C
C Ionisation
C
C 1-1      5.0
C 2-1      20.0
C 3-1      20.0
C 4-1      20.0
C 5-1      20.0
C *-1      50.0
C
C Excitation
C
C 1-2      7.7
C 1-3      8.9
C 1-4      31.7
.
.
```

```
C 5-8    19.6
C 5-9    6.2
C 5-10   4.5
@ 5-#1   2:3
C 1-*    15.0
C 2-*    15.0
C 3-*    15.0
C 4-*    15.0
C 5-*    15.0
C *-*    30.0
C
C
C
C
C+++ERROR specification end+++++++
C-----
C
C File generated by converting an ADF04 dataset from type 1 to type 3
C
C Program      : ADAS809
C
C Source file  : /home/summers/adas/adf04/helike/helike_hps02he_t1.dat
C
C Producer     : H. P. Summers
C
C Date        : 18/03/02
C-----
C-----
C ADAS ADF04 DATA - SCCS info: @(#)helike_hpsh02he.dat      1.1 Date 03/22/02
C-----
```